

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES STATE PUBLIC HEALTH LABORATORY BREATH ALCOHOL PROGRAM

REPORT #

Complete this report wh	enever the instrume	ar monthly preventive ma nt is serviced or repaired	and whenever it is place	o exceed 35 days). ced into service.	
Retain the original and s	send a copy within 1	5 days to the Breath Alc	ohol Program, DHSS.		
NAME OF AGENCY Hermann Police Department				12/26/2020	
LOCATION OF INSTRUMENT (STREET AND CITY) 1902 Jefferson Street Hermann				TIME OF INSPECTION 06:01:55	
		ach item if found to be s	atisfactory or is operating	g within established limits.	(Write in observed
values where determine IDIAGNOSTIC REC		must be corrected beto	re using instrument.		
		1.57	☑ DETECTOR		
DATE AND TIME 12/26/2020 06:01:57			☑ FILTER 1		
☑ PROGRAM			The second secon		
☑ SAMPLE CHAI			☑ FILTER 2		
☐ BREATH TUBE	45.5°C		☑ FILTER 3		
☑ PUMP			☑ INTERNAL S	TANDARD	
BREATH ANALYZER		NDARDS	M COMPRESS	ED ETHANOL-GAS MIXTU	IRF
☐ SIMULATOR S					
STANDARD SUPPLIER INTOXIMETERS			T#_AG907710	EXP. DATE 03/18/2021	
☐ SIMULATOR TEMP			л. SN	SIM. NIST EXP DAT	
of .005 or less. Ma	ark the box correspo ANDARD - MUST R	nding to the standard be EAD BETWEEN 0.095	eing usea.	ENANCE REPORT) alue and must have a sprea SIVE	
□ 0.10% STA	ANDARD - MUST R ANDARD - MUST R	nding to the standard be	eing used. % AND 0.105% INCLU % AND 0.084% INCLU	SIVE	
□ 0.10% STA □ 0.08% STA □ 0.04% STA	ANDARD - MUST R ANDARD - MUST R	nding to the standard be EAD BETWEEN 0.095 EAD BETWEEN 0.076	eing used. % AND 0.105% INCLU % AND 0.084% INCLU	SIVE	
□ 0.10% STA □ 0.08% STA □ 0.04% STA TEST 1: 0.100	ANDARD - MUST R ANDARD - MUST R ANDARD - MUST R	EAD BETWEEN 0.096 EAD BETWEEN 0.076 EAD BETWEEN 0.038	eing used. % AND 0.105% INCLU % AND 0.084% INCLU	SIVE SIVE	
■ 0.10% STA ■ 0.08% STA ■ 0.04% STA TEST 1: 0.100 ■ PERFORM R.F.I. 1	ANDARD - MUST R ANDARD - MUST R ANDARD - MUST R FEST	read Between 0.095 EAD BETWEEN 0.076 EAD BETWEEN 0.038 TEST 2: 0.100	eing used. % AND 0.105% INCLU % AND 0.084% INCLU % AND 0.042% INCLU	SIVE SIVE	
□ 0.10% STA □ 0.08% STA □ 0.04% STA TEST 1: 0.100 □ PERFORM R.F.I. T INDICATE THE NUM REFUSALS: 0	ANDARD - MUST R ANDARD - MUST R ANDARD - MUST R FEST BER OF BREATH 004: 10	read between 0.095 EAD BETWEEN 0.076 EAD BETWEEN 0.038 TEST 2: 0.100 TESTS IN THE FOLLO	eing used. % AND 0.105% INCLU % AND 0.084% INCLU % AND 0.042% INCLU DWING RANGES SIN .1014: 0	SIVE SIVE TEST 3: 0.100 CE THE LAST MAINTEN .1519: 0	ANCE REPORT: OVER .19: 0
□ 0.10% STA □ 0.08% STA □ 0.04% STA TEST 1: 0.100 □ PERFORM R.F.I. T INDICATE THE NUM REFUSALS: 0 LIST ANY NEW PARTS AND DE	ANDARD - MUST R ANDARD - MUST R ANDARD - MUST R TEST BER OF BREATH 004: 10	read between 0.095 EAD BETWEEN 0.076 EAD BETWEEN 0.038 TEST 2: 0.100 TESTS IN THE FOLLO	eing used. % AND 0.105% INCLU % AND 0.084% INCLU % AND 0.042% INCLU DWING RANGES SIN .1014: 0	SIVE SIVE TEST 3: 0.100 CE THE LAST MAINTEN	ANCE REPORT: OVER .19: 0
■ 0.10% STA ■ 0.08% STA ■ 0.04% STA ■ 0.04% STA TEST 1: 0.100 ■ PERFORM R.F.I. T INDICATE THE NUM REFUSALS: 0 LIST ANY NEW PARTS AND DE	ANDARD - MUST R ANDARD - MUST R ANDARD - MUST R TEST BER OF BREATH 004: 10	read between 0.095 EAD BETWEEN 0.076 EAD BETWEEN 0.038 TEST 2: 0.100 TESTS IN THE FOLLO	eing used. % AND 0.105% INCLU % AND 0.084% INCLU % AND 0.042% INCLU DWING RANGES SIN .1014: 0	SIVE SIVE TEST 3: 0.100 CE THE LAST MAINTEN .1519: 0	ANCE REPORT: OVER .19: 0
■ 0.10% STA ■ 0.08% STA ■ 0.04% STA ■ 0.04% STA TEST 1: 0.100 ■ PERFORM R.F.I. T INDICATE THE NUM REFUSALS: 0	ANDARD - MUST R ANDARD - MUST R ANDARD - MUST R TEST BER OF BREATH 004: 10	read between 0.095 EAD BETWEEN 0.076 EAD BETWEEN 0.038 TEST 2: 0.100 TESTS IN THE FOLLO	eing used. % AND 0.105% INCLU % AND 0.084% INCLU % AND 0.042% INCLU DWING RANGES SIN .1014: 0	SIVE SIVE TEST 3: 0.100 CE THE LAST MAINTEN .1519: 0	ANCE REPORT: OVER .19: 0
■ 0.10% STA ■ 0.08% STA ■ 0.04% STA TEST 1: 0.100 ■ PERFORM R.F.I. T INDICATE THE NUM REFUSALS: 0 LIST ANY NEW PARTS AND DE	ANDARD - MUST R ANDARD - MUST R ANDARD - MUST R TEST BER OF BREATH 004: 10	read between 0.095 EAD BETWEEN 0.076 EAD BETWEEN 0.038 TEST 2: 0.100 TESTS IN THE FOLLO	eing used. % AND 0.105% INCLU % AND 0.084% INCLU % AND 0.042% INCLU DWING RANGES SIN .1014: 0	SIVE SIVE TEST 3: 0.100 CE THE LAST MAINTEN .1519: 0	ANCE REPORT: OVER .19: 0
■ 0.10% STA ■ 0.08% STA ■ 0.04% STA ■ 0.04% STA TEST 1: 0.100 ■ PERFORM R.F.I. T INDICATE THE NUM REFUSALS: 0 LIST ANY NEW PARTS AND DE	ANDARD - MUST R ANDARD - MUST R ANDARD - MUST R TEST BER OF BREATH 004: 10	read between 0.095 EAD BETWEEN 0.076 EAD BETWEEN 0.038 TEST 2: 0.100 TESTS IN THE FOLLO	eing used. % AND 0.105% INCLU % AND 0.084% INCLU % AND 0.042% INCLU DWING RANGES SIN .1014: 0	SIVE SIVE TEST 3: 0.100 CE THE LAST MAINTEN .1519: 0	ANCE REPORT: OVER .19: 0
■ 0.10% STA ■ 0.08% STA ■ 0.04% STA ■ 0.04% STA TEST 1: 0.100 ■ PERFORM R.F.I. T INDICATE THE NUM REFUSALS: 0 LIST ANY NEW PARTS AND DE	ANDARD - MUST R ANDARD - MUST R ANDARD - MUST R TEST BER OF BREATH 004: 10	read between 0.095 EAD BETWEEN 0.076 EAD BETWEEN 0.038 TEST 2: 0.100 TESTS IN THE FOLLO	eing used. % AND 0.105% INCLU % AND 0.084% INCLU % AND 0.042% INCLU DWING RANGES SIN .1014: 0	SIVE SIVE TEST 3: 0.100 CE THE LAST MAINTEN .1519: 0	ANCE REPORT: OVER .19: 0
■ 0.10% STA ■ 0.08% STA ■ 0.04% STA TEST 1: 0.100 ■ PERFORM R.F.I. T INDICATE THE NUM REFUSALS: 0 LIST ANY NEW PARTS AND DE	ANDARD - MUST R ANDARD - MUST R ANDARD - MUST R TEST BER OF BREATH 004: 10	read between 0.095 EAD BETWEEN 0.076 EAD BETWEEN 0.038 TEST 2: 0.100 TESTS IN THE FOLLO	eing used. % AND 0.105% INCLU % AND 0.084% INCLU % AND 0.042% INCLU DWING RANGES SIN .1014: 0	SIVE SIVE TEST 3: 0.100 CE THE LAST MAINTEN .1519: 0	ANCE REPORT: OVER .19: 0
■ 0.10% STA ■ 0.08% STA ■ 0.04% STA TEST 1: 0.100 ■ PERFORM R.F.I. T INDICATE THE NUM REFUSALS: 0 LIST ANY NEW PARTS AND DE	ANDARD - MUST R ANDARD - MUST R ANDARD - MUST R FEST BER OF BREATH 004: 10 SCRIBE ANY ALTERATION HER SIDE IF NECESSARY)	read between 0.095 EAD BETWEEN 0.076 EAD BETWEEN 0.038 TEST 2: 0.100 TESTS IN THE FOLLO	eing used. % AND 0.105% INCLU % AND 0.084% INCLU % AND 0.042% INCLU DWING RANGES SIN .1014: 0 ADE TO RESTORE THE INSTRUI	SIVE SIVE TEST 3: 0.100 CE THE LAST MAINTEN .1519: 0	ANCE REPORT: OVER .19: 0
■ 0.10% STA ■ 0.08% STA ■ 0.04% STA TEST 1: 0.100 ■ PERFORM R.F.I. T INDICATE THE NUM REFUSALS: 0 LIST ANY NEW PARTS AND DE ESTABLISHED LIMITS (USE OT)	ANDARD - MUST R ANDARD - MUST R ANDARD - MUST R FEST BER OF BREATH 004: 10 SCRIBE ANY ALTERATION IN HER SIDE IF NECESSARY)	read between 0.095 EAD BETWEEN 0.076 EAD BETWEEN 0.038 TEST 2: 0.100 TESTS IN THE FOLLO	eing used. % AND 0.105% INCLU % AND 0.084% INCLU % AND 0.042% INCLU DWING RANGES SIN .1014: 0	SIVE SIVE TEST 3: 0.100 CE THE LAST MAINTEN .1519: 0 MENT TO OPERATE SATISFACTORILY	ANCE REPORT: OVER .19: 0
■ 0.10% STA ■ 0.08% STA ■ 0.04% STA TEST 1: 0.100 ■ PERFORM R.F.I. T INDICATE THE NUM REFUSALS: 0 LIST ANY NEW PARTS AND DE ESTABLISHED LIMITS (USE OT) INSPECTING OFFIC	ANDARD - MUST R ANDARD - MUST R ANDARD - MUST R FEST BER OF BREATH 004: 10 SCRIBE ANY ALTERATION HER SIDE IF NECESSARY)	read between 0.095 EAD BETWEEN 0.076 EAD BETWEEN 0.038 TEST 2: 0.100 TESTS IN THE FOLLO	PRINT FULL NAME AMANDA JE PARTE PRINT FULL NAME AMANDA JE PRINT FULL NAM	SIVE SIVE TEST 3: 0.100 CE THE LAST MAINTEN .1519: 0 MENT TO OPERATE SATISFACTORILY	ANCE REPORT: OVER .19: 0



Airgas USA LLC (LAB)

3500 Bernard Street

St. Louis, Mo. 63103

Ph: (314) 533-3100

Fax: (314) 533-7328

Certificate of Analysis

Customer Name

Exclusive Supplier Intoximeters, Inc. 2081 Craig Road St. Louis, Mo 63146

20-Mar-2019 Test Date:

Lot # AG907710 Model 108cacd

Exp. Date 18-Mar-2021 Cyl. Type 108

Component Ethanol Nitrogen

Certified Concentration 0.100 ± 2% BrAC (260 ppm)

Balance

Certification Traceable to N.I.S.T. RGM and to CRM Ethanol Standards:

Concentration **RGM Serial No.** 392.1 ppm EB0010581 259.8 ppm EB0010570 EB0010285 208.0 ppm 103.6 ppm EB0010561 52.12 ppm EB0010681

Concentration CRM Serial No. 800.0 ppm CC434668 253.0 ppm CC234503

Concentration **RGM Serial No.** 393.0 ppm EB0010603 258.2 ppm EB0010559 EB0010595 208.3 ppm 104.2 ppm EB0010562 52.81 ppm EB0010579

Concentration CRM Serial No. 390.1 ppm 0056649 150.2 ppm 0056662

Analytical Method:

NDIR

Digitally signed by Quality Control Date: 2019.03.20 11:13:55 -05:00 Reason: Dry gas standard certification of analysis Location: Airgas USA LLC (Lab)

Approved for Release:

ISO 17025:2005 A2LA accredited. Certificate Number 3082.06 ISO 17034:2016 A2LA accredited. Certificate Number 3082.07



STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES BREATH ALCOHOL PROGRAM



PERMIT TYPE II

AMANDA JENSEN

is hereby authorized to instruct and supervise operators, train instructors, inspect, calibrate, perform field service and repairs, and operate the following breath analyzer(s):

INTOX DMT

for the determination of the alcoholic content of blood from a sample of expired air. Permit issued under the provisions of sections 577.020 through 577.041, RSMo and 306.111 through 306.119 RSMo.

DATE ____9/24/2020 NUMBER 200253

EXPIRES 9/24/2022

MO 580-0771 (6-10)

DIRECTOR OF STATE PUBLIC HEALTH LABORATORY

1 MB L

DIRECTOR OF DEPARTMENT OF HEALTH AND SENIOR SERVICES

LAB-4 (R6-10)



STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES BREATH ALCOHOL PROGRAM

INSTRUMENT OPERATOR CARD

The named cardholder is authorized to operate an evidential breath alcohol instrument for the determination of the alcoholic content in breath form of expired al in Missouri.

JENSEN, AMANDA Operator

Permit No 200253

Date Expires 9/24/2022 Date Issued 9/24/2020

